Author Index

Abraham, M.H., see Oumada, F.Z. 301 Acar, O.

-, Kılıç, Z. and Rehber Türker, A.

Determination of bismuth, indium and lead in geological and sea-water samples by electrothermal atomic absorption spectrometry with nickel-containing chemical modifiers 329

Agraz, R., see Ortiz Viana, M.M. 179

Ala-Kleme, T., see Kulmala, A. 233

Alañón Molina, A., see Murillo Pulgarín, J.A. 77

Alonso, J., see Sanchez, J. 157

Arimura, A., see Ito, K. 245

Beltran, A., see Sànchez, J. 157

Bosch, E., see Oumada, F.Z. 301

Bosque-Sendra, J.M., see Nechar, M. 117

Boturyn, D., see Houdier, S. 253

Bruzzoniti, M.C.

-, Mentasti, E. and Sarzanini, C.

Simultaneous determination of inorganic anions and metal ions by suppressed ion chromatography 291

Carducci, C., see Mardones, C. 23

Casassas, E., see Díaz-Cruz, M.S. 105

Chen, H.-Y.

- and Long, Y.-T.

Study of biomolecules by combining electrochemistry with UV/Vis, IR and surface enhanced Raman scattering spectroscopy by a novel flow microcell 171

Chen, S.-Z., see Zhang, Z.-Q. 283

Chen, X.

-, Ruan, C., Kong, J. and Deng, J.

Amperometric determination of nitrite based on reaction with 3-mercaptopropanoic acid 189

Cheng, B., see Xia, S. 151

Cortina, J.L., see El Aamrani, F.Z. 205

Croudace, I.W., see Warwick, P.E. 225

Croze, S., see Houdier, S. 253

Díaz-Cruz, M.S.

—, Grabarić, B.S., Grabarić, Z., Esteban, M. and Casassas, E. Optimisation of resolution function in signals ratio method and deconvolution by polynomial division – quantitation of Cd(II) and In(III) from their global signals obtained at carbon fibre disk ultramicroelectrode 105

da Silva, M.P., see Ortiz Viana, M.M. 179

Davidson, C.M., see Sahuquillo, A. 317

Defrancq, E., see Houdier, S. 253

del Valle, M., see Sanchez, J. 157

Deng, J., see Chen, X. 189

Doku, G.N.

— and Haswell, S.J.

Further studies into the development of a micro-FIA (μ FIA) system based on electroosmotic flow for the determination of phosphate as orthophosphate 1

Duan, L.-M., see Li, Z.-Q. 165

El Aamrani, F.Z.

-, Kumar, A., Cortina, J.L. and Sastre, A.M.

Solvent extraction of copper(II) from chloride media using *N*-(thiocarbamoyl)benzamidine and *N*-benzoylthiourea derivatives 205

Ensafi, A.A.

— and Kazemzadeh, A.

Simultaneous determination of nitrite and nitrate in various samples using flow injection with spectrophotometric detection 15

Esteban, M., see Díaz-Cruz, M.S. 105

Feng, J.-L., see Li, Y.-G. 277

Fernández López, P., see Murillo Pulgarín, J.A. 77

García-Ayuso, L.E.

— and Luque de Castro, M.D.

A multivariate study of the performance of a microwave-assisted Soxhlet extractor for olive seeds 309

Gaydou, E.M., see Goiffon, J.-P. 39

Goiffon, J.-P.

—, Mouly, P.P. and Gaydou, E.M.

Anthocyanic pigment determination in red fruit juices, concentrated juices and syrups using liquid chromatography 39

Goto, T., see Ito, K. 245

Grabarić, B.S., see Díaz-Cruz, M.S. 105

Grabarić, Z., see Díaz-Cruz, M.S. 105

Guo, Q.

-, Wu, W. and Massart, D.L.

The robust normal variate transform for pattern recognition with near-infrared data 87

Hakanen, A., see Kulmala, A. 233

Haswell, S.J., see Doku, G.N. 1

Heon Lee, C.

—, Yul Suh, M., Suk Kim, J., Yang Kim, D., Ho Kim, W. and Yoon Eom, T.

Separation and preconcentration of uranium from geological materials with chelating resin containing 4-(2-thiazolylazo)-resorcinol functional groups 199

Hernandez, L., see Ortiz Viana, M.M. 179

Ho Kim, W., see Heon Lee, C. 199

Hongying, Z.

-, Xiangzhu, X. and Peibiao, L.

Application of Fourier transform to four-electrode micro-voltammetric system for studies on micro-ITIES electroanalysis 137

Houdier, S.

—, Legrand, M., Boturyn, D., Croze, S., Defrancq, E. and Lhomme, J.

A new fluorescent probe for sensitive detection of carbonyl compounds 253

Howard, A.G., see Warwick, P.E. 225

Ito, K.

—, Goto, T., Murakami, S., Maeda, M., Shioda, S. and Arimura, A. Bioluminescent enzyme immunoassay for pituitary adenylate cyclase activating polypeptide 38 (PACAP38) 245

Jiang, Z.-H., see Li, Y.-G. 277

Jiménez, C., see Sànchez, J. 157

Jin, L., see Jin, W. 33

Jin, W.

-, Jin, L., Shi, G. and Ye, J.

Determination of monoamine transmitters and their metabolites by capillary electrophoresis with electrochemical detection 33

Kiliç, Z., see Acar, O. 329

Kazemzadeh, A., see Ensafi, A.A. 15

Klimant, I., see Neurauter, G. 67

Kong, J., see Chen, X. 189

Korpela, T., see Kulmala, A. 233

Kubo, I., see Seki, A. 131

Kulmala, A.

—, Kulmala, S., Ala-Kleme, T., Hakanen, A. and Korpela, T. Hydrated electron-induced chemiluminescence of thallium(I) ion 233

Kulmala, S., see Kulmala, A. 233

Kumar, A., see El Aamrani, F.Z. 205

López-Sánchez, J.F., see Sahuquillo, A. 317

Lao, W., see You, J. 51

Legrand, M., see Houdier, S. 253

Lhomme, J., see Houdier, S. 253

Li, Y.-F., see Zhang, Z.-Q. 283

Li, Y.-G.

—, Zhou, Y.-X., Feng, J.-L., Jiang, Z.-H. and Ma, L.-R. Immobilization of enzyme on screen-printed electrode by exposure to glutaraldehyde vapour for the construction of amperometric acetylcholinesterase electrodes 277

Li, Z.-Q.

—, Liu, G.-D., Duan, L.-M., Shen, G.-L. and Yu, R.-Q. Sulfate-selective PVC membrane electrodes based on a derivative of imidazole as a neutral carrier 165

Liu, G.-D., see Li, Z.-Q. 165

Long, Y.-T., see Chen, H.-Y. 171

Luque de Castro, M.D., see García-Ayuso, L.E. 309

Ma, L.-R., see Li, Y.-G. 277

Maeda, M., see Ito, K. 245

Malinowska, E.

-, Manzoni, A. and Meyerhoff, M.E.

Potentiometric response of magnesium-selective membrane electrode in the presence of nonionic surfactants 265

Manzoni, A., see Malinowska, E. 265

Mardones, C.

—, Vizioli, N., Carducci, C., Rios, A. and Valcárcel, M. Separation and determination of carnitine and acyl-carnitines by capillary electrophoresis with indirect UV detection 23

Massart, D.L., see Guo, Q. 87

Mentasti, E., see Bruzzoniti, M.C. 291

Meyerhoff, M.E., see Malinowska, E. 265

Mo, J., see Zou, Y. 145

Molina, M.F., see Nechar, M. 117

Motoya, K., see Seki, A. 131

Mouly, P.P., see Goiffon, J.-P. 39

Murakami, S., see Ito, K. 245

Murillo Pulgarín, J.A.

-, Alañón Molina, A. and Fernández López, P.

Phosphorimetric determination of nafronyl in pharmaceutical preparations 77

Nechar, M.

-, Molina, M.F. and Bosque-Sendra, J.M.

Application of Doehlert optimization and factorial designs in developing and validating a solid-phase spectrophotometric determination of trace levels of cadmium 117

Neurauter, G.

-, Klimant, I. and Wolfbeis, O.S.

Microsecond lifetime-based optical carbon dioxide sensor using luminescence resonance energy transfer 67

Ortiz Viana, M.M.

—, da Silva, M.P., Agraz, R., Procopio, J.R., Sevilla, M.T. and Hernandez, L.

Comparison of two kinetic approaches for copper speciation using ion-exchange columns and ion-exchange modified carbon paste electrodes 179

Ou, Q., see You, J. 51

Oumada, F.Z.

-, Rosés, M., Bosch, E. and Abraham, M.H.

Solute-solvent interactions in normal-phase liquid chromatography: a linear free-energy relationships study 301

Peibiao, L., see Hongying, Z. 137

Procopio, J.R., see Ortiz Viana, M.M. 179

Rauret, G., see Sahuquillo, A. 317

Rehber Türker, A., see Acar, O. 329 Rios, A., see Mardones, C. 23 Rosés, M., see Oumada, F.Z. 301 Ruan, C., see Chen, X. 189

Rubio, R., see Sahuquillo, A. 317

Sànchez, J

—, Beltran, A., Alonso, J., Jiménez, C. and del Valle, M. Development of a new ion-selective field-effect transistor sensor for anionic surfactants: Application to potentiometric titrations 157

Sahuquillo, A.

—, López-Sánchez, J.F., Rubio, R., Rauret, G., Thomas, R.P., Davidson, C.M. and Ure, A.M.

Use of a certified reference material for extractable trace metals to assess sources of uncertainty in the BCR three-stage sequential extraction procedure 317

Sakao, S.

- and Uchida, H.

Determination of trace elements in shellfish tissue samples by inductively coupled plasma mass spectrometry 215

Sarzanini, C., see Bruzzoniti, M.C. 291 Sastre, A.M., see El Aamrani, F.Z. 205

Seki, A.

-, Motoya, K., Watanabe, S. and Kubo, I.

Novel sensors for potassium, calcium and magnesium ions based on a silicon transducer as a light-addressable potentiometric sensor 131

Sevilla, M.T., see Ortiz Viana, M.M. 179

Shen, G.-L., see Li, Z.-O. 165

Shi, G., see Jin, W. 33

Shioda, S., see Ito, K. 245

Suk Kim, J., see Heon Lee, C. 199

Sun, H., see You, J. 51

Taher, M.A.

Third derivative spectrophotometric determination of trace rhodium after pre-concentration with 2-(5-bromo-2-pyridylazo)-5-diethylaminophenol chelate/tetraphenylborate ion pair on microcrystalline naphthalene 339

Thomas, R.P., see Sahuquillo, A. 317

Uchida, H., see Sakao, S. 215

Ure, A.M., see Sahuquillo, A. 317

Valcárcel, M., see Mardones, C. 23 Vizioli, N., see Mardones, C. 23

Warwick, P.E.

-, Croudace, I.W. and Howard, A.G.

Improved technique for the routine determination of tritiated water in aqueous samples 225

Watanabe, S., see Seki, A. 131

Wolfbeis, O.S., see Neurauter, G. 67

Wu, W., see Guo, Q. 87

Xia, S.

—, Xiao, D., Yuan, H., Cheng, B., Yuan, F. and Yu, R. Copper(II) ion-sensitive electrode using chemical vapor deposited Nb-Ge superconducting films 151

Xiangzhu, X., see Hongying, Z. 137

Xiao, D., see Xia, S. 151

Yang Kim, D., see Heon Lee, C. 199

Ye, J., see Jin, W. 33

Yoon Eom, T., see Heon Lee, C. 199

You, J.

-, Sun, H., Lao, W. and Ou, Q.

Fluorescence properties of carbazole-9-yl-acetyl chloride and its application for the simultaneous determination of amino acids and biogenic amines via liquid chromatography with fluorescence detection 51

Yu, R., see Xia, S. 151

Yu, R.-Q., see Li, Z.-Q. 165

Yuan, F., see Xia, S. 151

Yuan, H., see Xia, S. 151

Yul Suh, M., see Heon Lee, C. 199

Zhang, Z.-Q.

-, Chen, S.-Z., Li, Y.-F. and Zhu, M.-F.

Preconcentration with membrane cell and adsorptive polarographic determination of cyanides in air 283

Zhou, Y.-X., see Li, Y.-G. 277

Zhu, M.-F., see Zhang, Z.-Q. 283

Zou, Y.

- and Mo, J.

Ensembles of carbon paste microelectrodes 145

